



ACQUISITION
AND
DEVELOPMENT
DIVISION
One Capitol Mall
Suite 500
Sacramento, CA
95814 2000

[illegible]
$$1'' = 10'$$

1. FOR ABUTMENT FOOTINGS – SEE ABUTMENT PLANS SHEET S3.01
2.

+203.5'

 INDICATES BOTTOM OF FOOTING ELEVATION. SOILS ENGINEER TO VERIFY COMPETENT BEARING MATERIAL AT BOTTOM OF FOOTING ELEVATION PRIOR TO PLACEMENT OF REINFORCING STEEL
3. SLOPE PROTECTION TO BE METHOD B PLACEMENT (T = 18")
4. CONTRACTOR SHALL IMPLEMENT ADEQUATE AND AGENCY APPROVED DE-WATERING PROCEDURES TO ALLOW FOUNDATION EXCAVATION AND PLACEMENT OF CONCRETE. SEE SPECIFICATIONS FOR SPECIFIC SITE REQUIREMENTS AND CONSTRUCTION PROCEDURE AND ENVIRONMENTAL RESTRICTIONS.
5. SEE SHEET S1.01 FOR GENERAL NOTES AND SHEET S1.02 FOR TYPICAL DETAILS
6. HANDRAILS, GUARDRAILS, PLANTERS, RAMPS, CURBS, PAVING AND FLATWORK LIKE ITEMS – SEE CIVIL DRAWINGS
7. SEE CIVIL DRAWINGS FOR FINAL GRADING PROFILES

SHEET NO.

S2.01